	Rating		Rating
	ixauiig		ixaurig
Without leakage	0	Note: Diagnosis of endometriosis must be sub-	
7625 Fistula, urethrovaginal:	400	stantiated by laparoscopy.	
Multiple urethrovaginal fistulae Requiring the use of an appliance or the wear-	100	<sup>1</sup> Review for entitlement to special monthly comp	pensation
ing of absorbent materials which must be		under § 3.350 of this chapter.	
changed more than four times per day	60	[00 FID 10055 A 01 1005]	
Requiring the wearing of absorbent materials		[60 FR 19855, Apr. 21, 1995]	
which must be changed two to four times per		THE HEMIC AND LYMPHATIC SYST	EN C
Poquiring the wearing of absorbant materials	40	THE HEMIC AND LYMPHATIC SYST	EMS
Requiring the wearing of absorbent materials which must be changed less than two times		§4.117 Schedule of ratings—hemi	c and
per day	20	lymphatic systems.	c and
7626 Breast, surgery of:		lymphatic systems.	
Following radical mastectomy:			Rating
Both	80 50		
One Following modified radical mastectomy:	30	7700 Anemia, hypochromic-	
Both	60	microcytic and megaloblastic,	
One	40	such as iron-deficiency and per-	
Following simple mastectomy or wide local ex-		nicious anemia:	
cision with significant alteration of size or form:		Hemoglobin 5gm/100ml or less,	
Both	50	with findings such as high out-	
One	30	put congestive heart failure or	100
Following wide local excision without significant		dyspnea at rest Hemoglobin 7gm/100ml or less,	100
alteration of size or form:	0	with findings such as dyspnea	
Note: For VA purposes:	U	on mild exertion,	
(1) Radical mastectomy means removal of		cardiomegaly, tachycardia (100	
the entire breast, underlying pectoral		to 120 beats per minute) or	
muscles, and regional lymph nodes up		syncope (three episodes in the	
to the coracoclavicular ligament. (2) Modified radical mastectomy means re-		last six months)	70
moval of the entire breast and axillary		Hemoglobin 8gm/100ml or less,	
lymph nodes (in continuity with the		with findings such as weak-	
breast). Pectoral muscles are left intact.		ness, easy fatigability, head-	
(3) Simple (or total) mastectomy means re-		aches, lightheadedness, or	
moval of all of the breast tissue, nipple, and a small portion of the overlying skin,		shortness of breath	30
but lymph nodes and muscles are left in-		Hemoglobin 10gm/100ml or less	
tact.		with findings such as weak- ness, easy fatigability or head-	
(4) Wide local excision (including partial		aches	10
mastectomy, lumpectomy, tylectomy, segmentectomy, and quadrantectomy)		Hemoglobin 10gm/100ml or less,	10
means removal of a portion of the breast		asymptomatic	0
tissue.		Note: Evaluate complications of perm	icious
7627 Malignant neoplasms of gynecological sys-		anemia, such as dementia or perip	
tem or breast	100	neuropathy, separately.	nici di
<b>Note:</b> A rating of 100 percent shall continue beyond the cessation of any surgical, X-ray,		7702 Agranulocytosis, acute:	
antineoplastic chemotherapy or other thera-		Requiring bone marrow trans-	
peutic procedure. Six months after dis-		plant, or; requiring trans-	
continuance of such treatment, the appro-		fusion of platelets or red cells	
priate disability rating shall be determined by mandatory VA examination. Any change in		at least once every six weeks,	
evaluation based upon that or any subse-		or; infections recurring at	
quent examination shall be subject to the		least once every six weeks	100
provisions of §3.105(e) of this chapter. If		Requiring transfusion of plate-	
there has been no local recurrence or metas- tasis, rate on residuals.		lets or red cells at least once	
7628 Benign neoplasms of the gynecological sys-		every three months, or; infec-	
tem or breast. Rate according to impairment in		tions recurring at least once	00
function of the urinary or gynecological systems,		every three months	60
or skin.		Requiring transfusion of plate- lets or red cells at least once	
7629 Endometriosis: Lesions involving bowel or bladder confirmed		per year but less than once	
by laparoscopy, pelvic pain or heavy or irreg-		every three months, or; infec-	
ular bleeding not controlled by treatment, and		tions recurring at least once	
bowel or bladder symptoms	50	per year but less than once	
Pelvic pain or heavy or irregular bleeding not controlled by treatment	30	every three months	30
Pelvic pain or heavy or irregular bleeding re-	30	Requiring continuous medica-	
quiring continuous treatment for control	10	tion for control	10
•			

Rating	Rating
Note: The 100 percent rating for bone marrow transplant shall be assigned as of the date of hospital admission and shall continue with a mandatory VA examination six months following hospital discharge. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter.	NOTE: Rate complications such as systemic infections with encapsulated bacteria separately.  7707 Spleen, injury of, healed. Rate for any residuals.  7709 Hodgkin's disease: With active disease or during a treatment phase
7703 Leukemia:  With active disease or during a treatment phase	Note: The 100 percent rating shall continue beyond the cessation of any surgical, radiation, antineoplastic chemotherapy or other therapeutic procedures. Six months after discontinuance of such treatment, the appropriate disability rating shall be determined by mandatory VA examination. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter. If there has been no local recurrence or metastasis, rate on residuals.  7710 Adenitis, tuberculous, active or inactive.  Rate under §§ 4.88c or 4.89 of this part, whichever is appropriate.
no recurrence, rate on residuals.  7704 Polycythemia vera:  During periods of treatment with myelosuppressants and for three months following cessation of myelosuppressant therapy	With repeated painful crises, occurring in skin, joints, bones or any major organs caused by hemolysis and sickling of red blood cells, with anemia, thrombosis and infarction, with symptoms precluding even light manual labor
Note: Rate complications such as hypertension, gout, stroke or thrombotic disease separately.  7705 Thrombocytopenia, primary, idiopathic or immune: Platelet count of less than 20,000, with active bleeding, re-	cluding other than light manual labor
quiring treatment with medication and transfusions	NOTE: Sickle cell trait alone, without a history of directly attributable pathological findings, is not a ratable disability. Cases of symptomatic sickle cell trait will be forwarded to the Director, Compensation and Pension Service, for consideration under §3.321(b)(1) of this chapter.  7715 Non-Hodgkin's lymphoma:
or more, without bleeding 0 7706 Splenectomy 20	With active disease or during a treatment phase 100

Rating

100

60

30

10

Note: The 100 percent rating shall continue beyond the cessation of any surgical, radiation, antineoplastic chemotherapy or other therapeutic procedures. Six months after discontinuance of such treatment, the appropriate disability rating shall be dtermined by mandatory VA examination. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter. If there has been no local recurrence or metastasis, rate on residuals.

## 7716 Aplastic anemia:

Requiring bone marrow transplant, or; requiring transfusion of platelets or red cells at least once every six weeks, or; infections recurring at least once every six weeks ......
Requiring transfusion of plate-

Requiring transfusion of platelets or red cells at least once every three months, or; infections recurring at least once every three months ......

Requiring transfusion of platelets or red cells at least once per year but less than once every three months, or; infections recurring at least once per year but less than once every three months ......

Requiring continuous medication for control .....

Note: The 100 percent rating for bone marrow transplant shall be assigned as of the date of hospital admission and shall continue with a mandatory VA examination six months following hospital discharge. Any change in evaluation based upon that or any subsequent examination shall be subject to the provisions of §3.105(e) of this chapter.

[60 FR 49227, Sept. 22, 1995]

## THE SKIN

## §4.118 Schedule of ratings—skin.

	Rat- ing
7800 Scars, disfiguring, head, face or neck:  Complete or exceptionally repugnant deformity of one side of face or marked or repugnant bilateral disfigurement	50
Severe, especially if producing a marked and unsightly deformity of eyelids, lips, or auricles	30
Moderate; disfiguring	10
Slight	0

NOTE: When in addition to tissue loss and	Rat- ing
cicatrization there is marked discoloration,	
color contrast, or the like, the 50 percent rat-	
ing under Code 7800 may be increased to 80	
percent, the 30 percent to 50 percent, and the	
10 percent to 30 percent. The most repugnant,	
disfiguring conditions, including scars and dis-	
eases of the skin, may be submitted for	
central office rating, with several unretouched	
photographs.	
7801 Scars, burns, third degree:	40
Area or areas exceeding 1 square foot (0.1 m.²)	40
Area or areas exceeding one-half square foot	20
(0.05 m.²)	30
Area or areas exceeding 12 square inches (77.4	20
cm.2)	20
Area or areas exceeding 6 square inches (38.7	
cm.2)	10
NOTE (1): Actual third degree residual involve-	
ment required to the extent shown under	
7801.	
NOTE (2): Ratings for widely separated areas, as	
on two or more extremities or on anterior and	
posterior surfaces of extremities or trunk, will	
be separately rated and combined.	
7802 Scars, burns, second degree:	
Area or areas approximating 1 square foot (0.1	
m.2)	10
NOTE: See NOTE (2) under diagnostic code	
7801.	
7803 Scars, superficial, poorly nourished, with re-	
peated ulceration	10
7804 Scars, superficial, tender and painful on ob-	
jective demonstration	10
NOTE: The 10 percent rating will be assigned,	
when the requirements are met, even though	
the location may be on tip of finger or toe, and	
the rating may exceed the amputation value	
for the limited involvement.	
7805 Scars, other.	
Rate on limitation of function of part affected.	
7806 Eczema:	
With ulceration or extensive exfoliation or crust-	
ing, and systemic or nervous manifestations,	
or exceptionally repugnant	50
With exudation or itching constant, extensive le-	
sions, or marked disfigurement	30
With exfoliation, exudation or itching, if involving	
an exposed surface or extensive area	10
With slight, if any, exfoliation, exudation or itch-	
ing, if on a nonexposed surface or small area	(
7807 Leishmaniasis, americana (mucocutaneous,	
espundia).	
7808 Leishmaniasis, old world (cutaneous, oriental	
sore).	
sore). 7809 Lupus erythematosus, discoid.	
7809 Lupus erythematosus, discoid.	
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.)	
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.)	
<ul> <li>7809 Lupus erythematosus, discoid.</li> <li>(Not to be combined with ratings under diagnostic code 6350.)</li> <li>7810 Pinta.</li> <li>7811 Tuberculosis luposa (lupus vulgaris), active or</li> </ul>	
<ul> <li>7809 Lupus erythematosus, discoid.</li> <li>(Not to be combined with ratings under diagnostic code 6350.)</li> <li>7810 Pinta.</li> <li>7811 Tuberculosis luposa (lupus vulgaris), active or inactive:</li> </ul>	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100
7809 Lupus erythematosus, discoid. (Not to be combined with ratings under diagnostic code 6350.) 7810 Pinta. 7811 Tuberculosis luposa (lupus vulgaris), active or inactive: Active	100

constitutional symptoms, physical impairment.

7819 New growths, benign, skin.